

-
- 1 Therapeutic value of lymph node dissection and the clinical outcome for patients with gastric cancer.

Maehara Y., Kakeji Y., Koga T., Emi Y., Baba H., Akazawa K., Sugimachi K.

Surgery 131:S85-91,2002

- 2 DNA ploidy and its clinical implications in gastric cancer.

Baba H., Korenaga D., Kakeji Y., Haraguchi M., Okamura T., Maehara Y.

Surgery 131:S63-70,2002

- 3 Angiogenesis as a target for gastric cancer.

Kakeji Y., Maehara Y., Sumiyoshi Y., Oda S., Emi Y., Sugimachi K.

Surgery 131:S48-54,2002

- 4 Clinical significance of Vascular endothelial growth factor expression in gastric cancer.

Kakeji Y., Koga T., Sumiyoshi Y., Shibahara K., Oda S., Maehara Y., Sugimachi K.

J Exp Clin Cancer Res 21:125-129,2002

- 5 Risk factors for esophageal cancer and the multiple occurrence of carcinoma in the upper aerodigestive tract.

Morita M., et al.

Surgery 131: S1-6, 2002.

- 6 Detection of disseminated cancer cells in bone marrow of gastric cancer using real time quantitative RT-PCR.

Oki E., Maehara Y., Tokunaga E., Shibahara K., Hasuda S., Kakeji Y., Sugimachi K.

Cancer Letter 188:191-198,2002

- 7 Overexpression of cyclin B1 in gastric cancer and its clinicopathological significance: an immunohistological study.

Yasuda M., et al.

J. Cancer Res Clin Oncol 128: 412-416, 2002.

- 8 Prognostic significance of serum superoxide dismutase activity in patients with gastric cancer.

Yasuda M., et al.

Gastric Cancer 5: 148-153, 2002.

- 9 Mutational specificity of mice defective in the MTH1 and/or the MSH2 genes

Egashira A., Yamauchi K., Yoshiyama K., Kawate H., Katsuki M., Sekiguchi M., Sugimachi K., Maki H., Tsuzuki T.

DNA Repair 1:881-893,2002

- 10 Leiomyosarcoma of the greater omentum with liver metastasis: report of a case.

Koga T., et al.

Surg. Today 32: 434-438, 2002.

-
- 11 Pathologic features of superficial esophageal squamous cell carcinoma with lymph node and distal metastasis.
-
- Araki K., et al.
-
- Cancer 94: 570-575, 2002.
-
- 12 Metastatic breast cancer with HER2/neu-positive cells tends to have a morbid prognosis
-
- Emi Y., Kitamura K., Shikada Y., Kakeji Y., Takahashi S.
-
- Surgery 131:S217-S21, 2002
-
- 13 Heparanase gene expression and metastatic potential in human gastric cancer.
-
- Endo K., et al.
-
- Anticancer Res. 21: 3365-3370, 2001.
-
- 14 Trafficking and functional defects by mutations of the ATP-binding domains in MRP2 in patients with Dubin-Johnson syndrome
-
- Hashimoto K., Uchiumi T., Konno T., Ebihara T., Nakamura T., Wada M., Sakisaka S., Maniwa F., Amachi T., Ueda K., Kuwano M.
-
- Hepatology 36:1236-1245, 2002
-
- 15 New method of catheter-port system implantation in hepatic arterial infusion chemotherapy.
-
- Ikebe M., et al.
-
- Am. J. Surg.
-
- 16 Different distribution of Dukes' stage between proximal and distal colorectal cancer.
-
- Ikeda Y., et al.
-
- Hepato-Gastroenterol. 49: 1535-1537, 2002.
-
- 17 Distribution of synchronous and metachronous multiple colorectal cancers.
-
- Ikeda Y., et al.
-
- Hepato-Gastroenterol.
-
- 18 Prophylactic lymph node dissection for early gastric cancer invading submucosa.
-
- Ikeda Y., et al.
-
- Hepato-Gastroenterol.
-
- 19 The role of adenoma for colorectal cancer development: differences in the distribution of adenoma with low-grade dysplasia, high-grade dysplasia, and cancer that invades the submucosa.
-
- Ikeda Y., et al.
-
- Surgery 131: S105-108, 2002.
-
- 20 Prognostic score of gastric cancer determined by cDNA microarray.
-
- Inoue H., et al.
-
- Clin. Cancer Res. 8: 3475-3479, 2002.
-

-
- 21 The biologic features of intramucosal gastric carcinoma with lymph node metastasis.
-
- Kabashima A., Maehara Y., Koga T., Kakeji Y., Sugimachi K.
-
- Surgery 131:S71-77,2002
-
- 22 Protracted hepatic arterial infusion with low-dose cisplatin plus 5-fluorouracil for unresectable liver metastases from colorectal cancer.
-
- Kohnoe T., et al.
-
- Surgery 131: S128-S134, 2002.
-
- 23 Impaired antioxidant defense system of colonic tissue and cancer development in dextran sulfate sodium-induced colitis in mice.
-
- Korenaga D., et al.
-
- J. Surg. Res. 102: 144-149, 2002.
-
- 24 Increased intestinal permeability correlates with gastrointestinal toxicity among formulations of the fluorouracil analogue, tegafur, in rats.
-
- Korenaga D., et al.
-
- Eur. Surg. Res. 34: 351-356, 2002.
-
- 25 MnSOD expression within tumor cells is closely related to mode of invasion in human gastric cancer.
-
- Korenaga D., et al.
-
- Oncol. Rep.
-
- 26 The relationship between cyclin B1 overexpression and lymph node metastasis in human colorectal cancer.
-
- Korenaga D., et al.
-
- Surgery 131: S114-120, 2002.
-
- 27 Effective strategy of dendritic cell-based immunotherapy for advanced tumor-bearing hosts: the critical role of Th1-dominant immunity.
-
- Mashino K., et al.
-
- Mol Cancer Ther. 1: 785-794, 2002.
-
- 28 Expression of chemokine receptor CCR7 is associated with lymph node metastasis of gastric carcinoma.
-
- Mashino K., et al.
-
- Cancer Res. 62: 2937-2941, 2002.
-
- 29 Clinical and biological significance of s-phase kinase-associated protein2(skp2) gene expression in gastric carcinoma: modulation of malignant phenotype by skp2 overexpression, possibly via p27 proteolysis.
-
- Masuda T., et al.
-
- Cancer Res. 62: 3819-3825, 2002.
-

-
- 30 The benefit of laparoscopy assisted distal gastrectomy compared with conventional distal gastrectomy: a case matched control study.
-
- Migoh S., et al.
-
- Am. J. Surg.
-
- 31 FHIT locus alterations are more frequent in Msh2 negative oesophageal carcinomas.
-
- Mimori K., et al.
-
- Oncology
-
- 32 INI-1 gene mutations alters the binding affinity of all-1 with c-Myc in acute leukemia cases.
-
- Mimori K., et al.
-
- Oncol. Rep.
-
- 33 Localization of thymidine phosphorylase expression in colorectal carcinoma tissues by in situ RT-PCR assay.
-
- Mimori K., Matsuyama A., Yoshinaga K., Yamashita K., Masuda T., Inoue H., Ueo H., Mori M.
-
- Oncology 62:327-332,2002
-
- 34 MAL gene expression in esophageal cancer suppresses motility, invasion and tumorigenicity and enhances apoptosis through the Fas pathway.
-
- Mimori K., et al.
-
- Oncogene
-
- 35 The relation of alcohol consumption and cigarette smoking to the multiple occurrence of esophageal dysplasia and squamous cell carcinoma
-
- Miyazaki M., Ohno S., Futatsugi M., Saeki H., Ohga T., Watanabe M.
-
- Surgery 131:7-13,2002
-
- 36 Analysis of the gene-expression profile regarding the progression of human gastric carcinoma.
-
- Mori M., Mimori K., Yoshikawa Y., Shibuta K., Utsunomiya T., Sadanaga N., Tanaka F., Matsuyama A., Inoue H., Sugimachi K.
-
- Surgery 131(2):S39-47,2002
-
- 37 Increased proliferative activity caused by loss of p21WAF1/CIP1 expression and its clinical significance in patients with early-stage gastric carcinoma.
-
- Noda H., Maehara Y., Irie K., Kakeji Y., Yonemura T., Sugimachi K.
-
- Cancer 94:2107-2112,2002
-
- 38 Clinicopathological characteristics of superficial spreading type squamous cell carcinoma of the esophagus.
-
- Nozoe T., et al.
-
- Oncol. Rep. 9: 313-316, 2002.
-

-
- 39 Clinicopathological features of early esophageal squamous cell carcinoma with subsequent recurrence.
Nozoe T., et al.
Dis Esophagus 15: 145-148, 2002.
-
- 40 Clinicopathological significance of pRb2/p130 expression in squamous cell carcinoma of the esophagus.
Nozoe T., et al.
J. Cancer Res Clin Oncol 128: 691-696, 2002.
-
- 41 Correlation of pre-operative nutritional condition with post-operative complications in surgical treatment for oesophageal carcinoma.
Nozoe T., et al.
Eur. J. Surg. Oncol. 28: 396-400, 2002.
-
- 42 Cyclin A expression in superficial squamous cell carcinoma of the esophagus and coexisting infiltrated lymphocyte follicle.
Nozoe T., et al.
Cancer Letters 188: 221-229, 2002.
-
- 43 Fas-ligand expression is correlated with metastasis in colorectal carcinoma.
Nozoe T., et al.
Oncology
-
- 44 Immunohistochemical expression of C-reactive protein in squamous cell carcinoma of the esophagus -Significance as a tumor marker-.
Nozoe T., et al.
Cancer Letters
-
- 45 Immunohistochemical expression of cytokine induced nitric oxide synthase in colorectal carcinoma.
Nozoe T., et al.
Oncol. Rep. 9: 521-524, 2002.
-
- 46 Incarceration of small bowel herniation through a defect of the broad ligament of the uterus.
Nozoe T., et al.
Surg. Today 32: 834-835, 2002.
-
- 47 Laparoscopy assisted replacement of percutaneous endoscopic gastrostomy.
Nozoe T., et al.
J. Clin. Gastroenterol. 34: 144-146, 2002.
-
- 48 Preoperative hyperthermochemoradiotherapy for esophageal carcinoma.
Nozoe T., et al.
Surgery 131: S35-38, 2002.
-

-
- 49 Salvage for colonic perforation in patients with chronic renal failure on hemodialysis.
-
- Nozoe T., et al.
-
- Hepato-Gastroenterol.
-
- 50 Significance of Cyclin B1 expression as an independent prognostic indicator of patients with squamous cell carcinoma of the esophagus.
-
- Nozoe T., et al.
-
- Clin. Cancer Res. 8: 817-822, 2002.
-
- 51 Significance of immunohistochemical expression of manganese-superoxide dismutase as an indicator of malignant potential in colorectal carcinoma.
-
- Nozoe T., et al.
-
- Oncol. Rep.
-
- 52 Significance of SIRS score in therapeutic strategy for acute appendicitis.
-
- Nozoe T., et al.
-
- Hepato-Gastroenterol. 49: 444-446, 2002.
-
- 53 Simple staging criteria for esophageal carcinoma -Classification with a strict prognostic stratification-.
-
- Nozoe T., et al.
-
- Am. J. Clin Oncol.
-
- 54 Smoking-related increase of O⁶-methylguanine-DNA methyltransferase expression in squamous cell carcinoma of the esophagus.
-
- Nozoe T., et al.
-
- Cancer Letters 184: 49-55, 2002.
-
- 55 Suppression of phytohemagglutinin response to lymphocytes is an independent prognosticator in patients with squamous cell carcinoma of the esophagus.
-
- Nozoe T., et al.
-
- Ann. Thorac. Surg.
-
- 56 Microsatellite instability in cancer: What problems remain unanswered?
-
- Oda S., et al.
-
- Surgery 131(1): S55-S62, 2002.
-
- 57 Development of DNA microarray system-From Bench to Bed in Esophageal Cancers-
-
- Ohga T., Tanaka S., Maehara S., Futatsugi M., Ito S., Kimura Y., Saeki H., Kakeji Y., Maehara Y.
-
- Cytometry Research 12(2):121-129,2002
-
- 58 Surgical and Oncological Advances in the Treatment of Esophageal Cancer.
-
- Ohga T., Kimura Y., Futatsugi M., Miyazaki M., Saeki H., Nozoe T.
-
- Surgery 131:S28-34,2002
-

-
- 59 Combined evaluation of expressions of p53 and p21 proteins as prognostic factors for patients with gastric carcinoma.
-
- Okuyama T., Maehara Y., Kabashima A., Takahashi I., Kakeji Y., Sugimachi K.
-
- Oncology 63:353-361,2002
-
- 60 Biologic and clinical significance of squamous epithelial dysplasia of the esophagus
-
- Saeki H., Kimura Y., Ito S., Miyazaki M., Ohga T.
-
- Surgery 131:S22-27,2002
-
- 61 Concurrent overexpression of Ets-1 and c-Met correlates with a phenotype of high cellular motility in human oesophageal cancer
-
- Saeki H., Oda S., Kawaguchi H., Ohno S., Kuwano H., Maehara Y., Sugimachi K.
-
- International Journal of Cancer 98:8-13,2002
-
- 62 Interrelation Between Expression of Matrix Metalloproteinase 7 and β -Catenin in Esophageal Cancer
-
- Saeki H., Tanaka S., Sugimachi K., Kimura Y., Miyazaki M., Ohga T., Sugimachi K.
-
- Digestive Diseases and Sciences 47(12):2738-2742,2002
-
- 63 p53 protein accumulation in multiple oesophageal squamous cell carcinoma:reference to risk factors
-
- Saeki H., Ohno S., Miyazaki M., Araki K., Egashira A., Kawaguchi H., Watanabe M., Morita M., Sugimachi K.
-
- Oncology 62:175-179,2002
-
- 64 Role of dihydropyrimidine dehydrogenase activity in patients with esophageal cancer.
-
- Saeki H., Ito S., Futatsugi M., Kimura Y., Ohga T., Sugimachi K.
-
- Anticancer Research 22:3789-3792,2002
-
- 65 A case of gastric hyperplastic polyp with malignant transformation.
-
- Shibahara K., et al.
-
- Hepato-Gastroenterol.
-
- 66 Hyperinsulinemia in the patients with colorectal cancer.
-
- Suehiro T., et al.
-
- Hepato-Gastroenterol.
-
- 67 The effect of the herbal medicines Dai-Kenchu-To and Keishi-Bukuryo-Gan on bowel movement after colorectal surgery.
-
- Suehiro T., et al.
-
- Hepato-Gastroenterol.
-

- 68 The effect of whole body hyperthermia and a low-dose topoisomerase inhibitor(CPT-II) or occult(micro) metastasis in a rat breast cancer model that resembles aggressive clinical breast cancer after mastectomy.

Sumiyoshi K., et al.

Int. J. Hyperthermia

- 69 Clinical application of hyperthermia combined with anticancer drugs for the treatment of solid tumors

Takahashi I., Emi Y., Hasuda S., Kakeji Y., Maehara Y., Sugimachi K.

Surgery 131:S78-84,2002

- 70 Role of surgery in the patients with stage I and II primary gastric lymphoma.

Takahashi I., et al.

Hepato-Gastroenterol.

- 71 TS-1 in the treatment of advanced and recurrent gastric cancer current state and future prospects.

Takahashi I., et al.

Gastric Cancer

- 72 Histone H4 acetylation and histone deacetylase 1 expression in esophageal squamous cell carcinoma.

Toh Y., et al.

Oncol. Rep.

- 73 Combination chemotherapy of TS-1 and low-dose cisplatin for advanced gastric cancer.

Tsujitani S., et al.

Gastric Cancer

- 74 The administration of hypotonic intraperitoneal cisplatin during operation as a treatment for the peritoneal dissemination of gastric cancer.

Tsujitani S., et al.

Surgery 131: S98-104, 2002.

- 75 Gastrointestinal diseases and herpes zoster.

Yamamoto M., et al.

Hepato-Gastroenterol.

- 76 Polyps with different grades of dysplasia and their distribution in the colorectum.

Yamamoto M., et al.

Hepato-Gastroenterol.

-
- 77 Postoperative Morbidity/mortality and survival rates after total gastrectomy, with splenectomy/pancreaticosplenectomy for patients with advanced gastric cancer.

Yamamoto M., et al.

Hepato-Gastroenterol.

-
- 78 The Zollinger-ellison syndrome with acute bleeding pancreatitis.

Yamamoto M., et al.

Hepato-Gastroenterol.

-
- 79 Pharmacologic unmasking of epigenetically silenced tumor suppressor genes in esophageal squamous cell carcinoma.

Yamashita K., et al.

Cancer Cell

-
- 80 Clinical Significance of the expression of activin A in esophageal carcinoma.

Yoshinaga K., et al.

Int. J. Oncol.

1 Detection of micrometastasis in the sentinel lymph nodes in breast cancer.

Ishida M., et al.

Surgery 131: S211-216, 2002.

2 Clinical significance of PEA3 in human breast cancer

Kinoshita J., Kitamura K., Tanaka S., Sugimachi K., Ishida M., Saeki H.

Surgery 131(1):S222-225,2002

3 Early report of correlation between the thermal dosage and the treatment effect of hyperthermia in combination with chemo-radiotherapy for esophageal cancer patients

Kitamura K., Ishida M., Kimura Y., Saeki H., Ohga T., Sugimachi K.

Hepato-Gastroenterol 49:1560-1562,2002

4 Early results of an endoscope-assisted subcutaneous mastectomy and reconstruction for breast cancer

Kitamura K., Ishida M., Inoue H., Kinoshita J., Hashizume M., Sugimachi K.

Surgery 131(1):S324-S329,2002

5 A single-nucleotide polymorphism of SMARCB1 in human breast cancers.

Mimori K., Inoue H., Shiraishi T., Ueo H., Mafune K., Tanaka Y., Mori M.

Genomics 80(3):254-258,2002

6 Comparison of the immunohistochemical expression of EGFR, c-erbB2 and p53 protein between primary and recurrent breast cancer.

Tsutsui S., et al.

Breast Cancer 9: 111-117, 2002.

7 DNA aneuploidy in relation to the combination of analysis of estrogen receptor, progesterone receptor, p53 protein and epidermal growth factor receptor in 498 breast cancers.

Tsutsui S., et al.

Oncology 63: 48-55, 2002.

8 EGFR, c-erbB2 and p53 protein in the primary lesions and paired metastatic regional lymph nodes in breast cancer.

Tsutsui S., et al.

Eur. J. Surg. Oncol. 28: 383-387, 2002.

9 Flow cytometric analysis of DNA ploidy in primary, metastatic and recurrent breast cancers.

Tsutsui S., et al.

Oncol. Rep. 9: 793-799, 2002.

10 Histological classification of invasive ductal carcinoma and the biological parameters in breast cancer.

Tsutsui S., et al.

Breast Cancer

-
- 11 Prognostic and predictive value of epidermal growth factor receptor in recurrent breast cancer.
-
- Tsutsui S., et al.
-
- Clin. Cancer Res. 8: 3454-3460, 2002.
-
- 12 Prognostic significance of the co-expression of p53 protein and c-erbB2 in breast cancer.
-
- Tsutsui S., et al.
-
- Am. J. Surg.
-
- 13 Prognostic significance of the combination of biological parameters in breast cancer.
-
- Tsutsui S., et al.
-
- Surg. Today
-
- 14 Prognostic value of c-erbB2 expression in breast cancer.
-
- Tsutsui S., et al.
-
- J. Surg. Oncol. 79: 216-223, 2002.
-
- 15 Prognostic value of epidermal growth factor receptor(EGFR) and its relationship to the estrogen receptor status in 1029 patients with breast cancer.
-
- Tsutsui S., et al.
-
- Breast Cancer Res. Treat. 71: 67-75, 2002.
-
- 16 Prognostic value of the combination of epidermal growth factor receptor(EGFR) and c-erbB2 in breast cancer.
-
- Tsutsui S., et al.
-
- Surgery
-
- 17 Early effects of parathyroidectomy on erythropoietin production in secondary hyperparathyroidism.
-
- Yasunaga C., et al.
-
- Am. J. Surg. 183: 199-204, 2002.
-

-
- 1 Hepatic resection for hepatocellular carcinoma existing with liver cirrhosis.

Ezaki T., et al.

Hepato-Gastroenterol. 49: 1363-1368, 2002.

-
- 2 Efficacy of a scaled-up hybrid artificial liver support system using polyurethane foam/spheroids packed-bed module in warm ischemic liver failure pigs as preclinical experiments.

Yamashita Y., et al.

Cell Transplant.

-
- 3 Electroporation-mediated tumor necrosis factor-related apoptosis-inducing ligand (TRAIL)/Apo2L gene therapy for hepatocellular carcinoma.

Yamashita Y., Shimada M., Tanaka S., Okamamoto M., Miyazaki J., Sugimachi K.

Human Gene Therapy 13(2):275-86,2002

-
- 4 High metabolic function of primary human and porcine hepatocytes in a polyurethane foam/spheroid culture system in plasma from patients with fulminant hepatic failure.

Yamashita Y., Shimada M., Tsujita E., Shirabe K., Ijima H., Nakazawa K., Sakiyama R., Fukuda J., Funatsu K., Sugimachi K.

Cell Transplant 11(4):379-84,2002

-
- 5 Histone deacetylase inhibitor irichostatin a induces cell cycle arrest/apoptosis and hepatocyte differentiation in human hepatoma cells.

Yamashita Y., et al.

Int. J. Cancer

-
- 6 Hybrid-artificial liver support system.

Yamashita Y., et al.

Surgery 131(1Supple):S334-340,2002

-
- 7 In Vivo Gene Transfer into Muscle via Electro-Sonoporation.

Yamashita Y., Shimada M., Tachibana K., Harimoto N., Tsujita E., Shirabe K., Miyazaki J., Sugimachi K.

Human Gene Therapy 13(17):2079-84,2002

-
- 8 Laparoscopic hepatectomy and dissection of lymph nodes for intrahepatic cholangiocarcinoma. Case report.

Harimoto N., Shimada M., Tsujita E., Maehara S., Rikimaru T., Yamashita Y., Maeda T., Tanaka S., Shirabe K., Sugimachi K.

Surg Endoscopy 16(12):1806,2002

-
- 9 The role of thymidine phosphorylase and thrombospondin-1 in angiogenesis and progression of intrahepatic cholangiocarcinoma.

Aishima S., Tauchi K., Sugimachi K., Asayama Y., Nishi H., Shimada M., Sugimachi K., Tsuneyoshi M.

Int J Surg Pathol. 10:47-56,2002

-
- 10 The Utility of keratin 903 as a New Prognostic Marker in Mass-forming-type Intrahepatic Cholangiocarcinoma.

Aishima S., Asayama Y., Taguchi K., Sugimachi K., Shirabe K., Shimada M., Sugimachi K., Tsuneyoshi M.

Modern Pathology 15:1181-90,2002

-
- 11 c-erbB-2 and c-Met expression relates to cholangiocarcinogenesis and progression of intrahepatic cholangiocarcinoma.

Aishima SI., Taguchi KI., Sugimachi K., Shimada M., Sugimachi K., Tsuneyoshi M.

Histopathology 40:269-78,2002

-
- 12 The Sialyl Lewis X expression in hepatocarcinogenesis: potential predictor for the emergence of hepatocellular carcinoma.

Fujiwara Y., Shimada M., Takenaka K., Kajiyama Y., Shirabe K., Sugimachi K.

Hepatogastroenterology 49(43):213-7,2002

-
- 13 Preclinical and therapeutic utility of HVJ liposomes as a gene transfer vector for hepatocellular carcinoma using herpes simplex virus thymidine kinase.

Hasegawa H., et al.

Cancer Gene Therapy 8: 252-258, 2001.

-
- 14 Laparoscopic cholecystectomy for cholecystolithiasis in a case with situs inversus totalis.

Honda M., et al.

Digestive Endoscopy 14: 171-174, 2002.

-
- 15 Low dose cisplatin plus oral tegafur and uracil for the treatment of lung metastases of hepatocellular carcinoma.

Maeda T., et al.

Hepato-Gastroenterol.

-
- 16 Laparoscopy-assisted hepatectomy using the Endoclose:a case report.

Maehara S., Harimoto N., Tsujita E., Rikimaru T., Yamashita Y., Tanaka S., Adachi E., Shirabe K., Shimada M., Sugimachi K.

Surg Endoscopy 16(9):1363-4,2002

-
- 17 Up-regulation of thrombospondin-1 gene by epidermal growth factor and transforming growth factor beta in human cancer cells-transcriptional activation and messenger RNA stabilization.

Okamoto M., Ono M., Uchiumi T., Ueno H., Kohno K., Sugimachi K., Kuwano M.

Biochim Biophys Acta. 201574:24-34,2002

-
- 18 Regional expression of CXCL12/CXCR4 in liver and hepatocellular carcinoma and cell-cycle variation during in vitro differentiation.

Shibuta K., et al.

Jpn. J. Cancer Res. 93: 789-797, 2002.

-
- 19 Minimally invasive hepatectomy: modulation of systemic reactions against operation or laparoscopic approach.
-
- Shimada M., Harimoto N., Maehara Y., Tsujita E., Rikimaru T., Yamashita Y., Tanaka S., Shirabe K.
-
- Surgery 131(S1):S312-7,2002
-
- 20 Risk factors of recurrence in 3-year disease-free patients after hepatectomy for hepatocellular carcinoma.
-
- Shimada M., et al.
-
- Hepato-Gastroenterol.
-
- 21 Role of TT virus infection in hepatitis C patients with hepatocellular carcinoma.
-
- Shimada M., et al.
-
- Hepato-Gastroenterol.
-
- 22 The effect of splenectomy on the long-term prognosis and liver function after hepatectomy in patients with hepatocellular carcinoma.
-
- Shimada M., et al.
-
- Hepato-Gastroenterol.
-
- 23 Analysis of the prognostic factors for liver metastasis of gastric cancer after hepatic resection.
-
- Shirabe K., et al.
-
- Hepato-Gastroenterol.
-
- 24 Intrahepatic cholangiocarcinoma : its mode of spreading and therapeutic modalities.
-
- Shirabe K., Shimada M., Harimoto N., Sugimachi K., Yamashita Y., Tujita E., Aishima S.
-
- Surgery 131(S1):S159-64,2002
-
- 25 Significance of lens culinalis agglutinin-reactive fraction of AFP and high sensitive DCP in recurrent hepatocellular carcinoma.
-
- Shirabe K., et al.
-
- Hepato-Gastroenterol.
-
- 26 Surgical treatment in patients with huge hepatocellular carcinoma(HCC): with special reference to free cell type HCC.
-
- Shirabe K., et al.
-
- Hepato-Gastroenterol.
-
- 27 The factors linked to cellular detachment and its significance in recurrence of hepatocellular carcinoma
-
- Shirabe K., et al.
-
- Hepato-Gastroenterol.
-

-
- 28 Change in alpha glutathione s-transferase levels during liver resection.
-
- Suehiro T., et al.
-
- Hepato-Gastroenterol.
-
- 29 Perioperative hyaluronic acid measurement to assess the hepatic functional reserve
-
- Suehiro T., et al.
-
- Hepato-Gastroenterol.
-
- 30 Morphologic approach to hepatocellular carcinoma development in man: De novo or the so-called 'dysplastic nodule-carcinoma' sequence?
-
- Taguchi K., et al.
-
- Oncol. Rep. 9: 737-743, 2002.
-
- 31 Angiogenic switch as a molecular target of malignant tumors.
-
- Tanaka S., et. al.
-
- J. Gastroenterology
-
- 32 Human WISPIv, a member of CCN family, is associated with invasive cholangiocarcinoma.
-
- Tanaka S., et. al.
-
- Hepatology
-
- 33 Oncogenic signal transduction and therapeutic strategy for hepatocellular carcinoma.
-
- Tanaka S., et. al.
-
- Surgery 131: S142-147, 2002.
-
- 34 Tie2 vascular endothelial receptor expression and function in hepatocellular carcinoma.
-
- Tanaka S., Sugimachi K., Yamashita Y., Ohga T., Shirabe K., Shimada M., Wands Jr., Sugimachi K.
-
- Hepatology 35(4):861-7,2002
-
- 35 Variant WISPs as targets for gastrointestinal carcinomas.
-
- Tanaka S., Sugimachi K., Shimada M., Maehara Y., Sugimachi K.
-
- Gastroenterology 123(1):392-3,2002
-
- 36 Antioxidant and anti-inflammatory effects of diet supplemented with sesamin on hepatic ischemia-reperfusion injury in rats.
-
- Utsunomiya T., et al.
-
- Hepato-Gastroenterol.
-
- 37 CMAP mRNA expression in human colorectal cancer is associated with both liver metastasis and the patient survival.
-
- Utsunomiya T., et al.
-
- Clin. Cancer Res. 8: 2591-2594, 2002.
-

-
- ³⁸ G-protein γ expression as a new clinicopathological marker in patients with intrahepatic cholangiocarcinoma.

Utsunomiya T., et al.

Arch. Surg. 137: 181-185, 2002.

-
- 1 Activation of eNOS in rat portal hypertensive gastric mucosa is mediated by TNF- α via the PI 3-kinase-Akt signaling pathway.
-
- Kawanaka H., K.jones, Imre L.Szabo, Dolgor Baatar, Rama Pai, Tsugawa K., Sugimachi K., I.James Sarfeh, Andrzej S.Tarnawski
-
- Hepatology 35:393-402,2002
-
- 2 Defective mitogen-activated protein kinase(ERK2) signaling in gastric mucosa of portal hypertensive rats: potential therapeutic implications.
-
- Kawanaka H., Tomikawa M., Michael K.Jones, Imre L.Szabo, Rama Pai, Dolgor Baatar, Tsugawa K., Sugimachi K., I.James Sarfeh, Andrzej S.Tarnawski
-
- Hepatology 34:990-999,2002
-
- 3 Despite activation of EGF-receptor-ERK signaling pathway, epithelial proliferation is impaired in portal hypertensive gastric mucosa relevance of MKP-1, c-fos, c-myc, and cyclin D1 expression.
-
- Kawanaka H., Tomikawa M., Dolgor Baatar, Michael K.jones, Rama Pai, Imre L.Szabo, Sugimachi K., I.James Sarfeh, Andrzej S.Tarnawski
-
- Life Sci 69:3019-3033,2002
-
- 4 A traumatic pseudoaneurysm of the dorsalis pedis artery: report of a case.
-
- Yamaguchi S., Mii S., Yonemitsu Y., Orita H., Sakata H.
-
- Surg Today 32(8):756-757,2002
-
- 5 Laparoscope-assisted distal gastrectomy for early gastric cancer in a 76-year-old man with situs inversus totalis: A possible first case report.
-
- Yamaguchi S., et al.
-
- Surg. Endosc.
-
- 6 Current Merits of Robotic Surgical System:Gastric Devascularization for a Patient with Liver Cirrhosis
-
- Konishi K., Tomikawa M., Shimada M., Hashizume M., Sugimachi K.
-
- Proc ICBME 6:85-87,2002
-
- 7 Development of AR Navigation System for Laparoscopic Surgery using Magneto-optic Hybrid Sensor
-
- Konishi K., Nakamoto M., Miyamoto M., Hashizume M., Sato Y., Tamura S.
-
- Proc Computer Assisted Radiology and Surgery :1093,2002
-
- 8 Long-term Results of Endoscopic Histoacryl Injection Sclerotherapy For Gastric Variceal Bleeding.
-
- Akahoshi T., Hashizume M., Tanoue K., Shimabukuro R., Gotoh N., Tomikawa M., Sugimachi K.
-
- Surgery :S176-181,2002
-
- 9 Merit of prophylactic sclerotherapy for esophageal varices concomitant unresectable HCC.
-
- Akahoshi T., et al.
-
- Endoscopy
-

-
- 10 Role of the spleen in liver fibrosis in rats may be mediated by transforming growth factor -1
Akahoshi T., Hashizume M., Tanoue K., Shimabukuro R., Gotoh N., Tomikawa M., Sugimachi K.
J Gastroenterol Hepatol 17(1):59-65,2002
-
- 11 The effect of prostacyclin on the gastric mucosa in portal-hypertensive rats.
Kishihara F., et al.
Hepato-Gastroenterol. 49: 279-284, 2002.
-
- 12 The effect of omeprazol for esophageal ulceration after endoscopic variceal ligation compared with famotidine: a randomized prospective study.
Migoh S., et al.
Endoscopy
-
- 13 Clinical impact of patients with ruptured esophageal varices with death outcome.
Nozoe T., et al.
Hepato-Gastroenterol. 49: 185-187, 2002.
-
- 14 Ruptured esophageal varices caused by metastatic liver tumors.
Nozoe T., et al.
Hepato-Gastroenterol. 49: 191-192, 2002.
-
- 15 Pathogenesis of portal hypertensive gastropathy: A clinical and experimental review.
Ohta M., et al.
Surgery 131: S165-170, 2002.
-
- 16 Effects of splenectomy on liver volume and prognosis of cirrhosis in patients with esophageal varices.
Tomikawa M., Hashizume M., Akahoshi T., Shimabukuro R., Gotoh N., Ohta M., Sugimachi K.
J.Gastroenterol.Hepatol. 17(1):77-80,2002
-
- 17 Endoscopic injection sclerotherapy in the management of 2105 patients with esophageal varices.
Tomikawa M., Hashizume M., Okita K., Kitano S., Ohta M., Higashi H., Akahoshi T.
Surgery 131(S1):S171-175,2002
-
- 18 Anatomic resection for severe blunt liver trauma in 100 patients: significant differences between young and elderly.
Tsugawa K., Koyanagi N., Hashizume M., Ayukawa K., Wada H., Tomikawa M., Ueyama T., Sugimachi K.
World J.Surg 26(5):544-549,2002
-
- 19 Biological role of phosphatase PTEN in cancer and tissue injury healing.
Tsugawa K., Michael K.Jones, Sugimachi K., I.James Sarfeh, Andrzej S.Tarnawski
Front Biosci 7:e245-251,2002
-

-
- 20 Laparoscopic rectopexy for recurrent rectal prolapse: a safe and simple procedure without a mesh prosthesis.

Tsugawa K., Sue K., Koyanagi N., Hashizume M., Wada H., Tomikawa M., Sugimachi K.

Hepato-Gastroenterol 49(48):1549-1551,2002

-
- 21 New insight for management of blunt splenic trauma: significant differences between young and elderly.

Tsugawa K., Koyanagi N., Hashizume M., Wada H., Ayukawa K., Akahoshi K., Tomikawa M., Sugimachi K.

Hepato-Gastroenterol 49(46):1144-1149,2002

-
- 22 New therapeutic strategy of open pelvic fracture associated with rectal injury in 43 patients over 60 years of age.

Tsugawa K., Koyanagi N., Hashizume M., Ayukawa K., Wada H., Tomikawa M., Sugimachi K.

Hepato-Gastroenterol 49(47):1275-1280,2002

-
- 23 Results of endotoxin absorption after a subtotal resection of the small intestine and a right hemicolectomy for severe superior mesenteric ischemia.

Tsugawa K., Koyanagi N., Hashizume M., Wada H., Ayukawa K., Akahoshi K., Tomikawa M., Sugimachi K.

Hepato-Gastroenterol 49(47):1303-1306,2002

-
- 24 Therapeutic strategy of emergency surgery for colon cancer in 71 patients over 70 years of age in Japan.

Tsugawa K., Koyanagi N., Hashizume M., Akahoshi K., Wada H., Ayukawa K., Tomikawa M., Sugimachi K.

Hepato-Gastroenterol 49(44):393-398,2002

-
- 25 Pulmonary embolism following laparoscopic surgery: a report of two cases.

Tsutsumi N., et al.

Hepato-Gastroenterol. 49: 719-720, 2002.

1 Gene therapy in vascular surgery comes of age.

Yonemitsu Y., Komori K., Sueishi K., Sugimachi K.

Surgery 131(S1):S261-268,2002

2 Local blood serotonin and soluble P-selectin levels during percutaneous transluminal balloon angioplasty and primary stenting of the iliac artery.

Onohara T., Komori K., Inoguchi H., Yamamura S.

Surgery 131(S1):S256-260,2002

3 Management of failed or failing infrainguinal bypasses with distal correctable lesions.

Onohara T., et al.

Am. Surg. 67: 935-938, 2001.

4 Aorto-caval fistula complicated with bacteremia due to Escherichia coli- a case report.

Inoguchi H., Mii S., Orita H., Sakata S., Kaiduka Y.

Surg Today 32:414-417,2002

5 Portal vein thrombosis complicated with deseminated intravascular coagulation due to acute cholecystitis.

Inoguchi H., et al.

Hepato-Gastroenterol.

6 Inhibitory effect of recombinant iNOS gene expression on vasomotor function of canine basilar artery.

Eguchi D., et al.

Am. J. Physiol. 283(6): 2560-2566, 2002.

7 Differences in endothelial function and morphologic modulation between canine autogenous venous and arterial grafts: endothelium and intimal thickening.

Komori K., Inoguchi H., Kume M., Shoji T., Furuyama T.

Surgery. 131(S1):S249-255,2002

8 Administration of a decoy against the activator protein-1 binding site suppresses neointimal thickening in rabbit balloon-injured arteries.

Kume M., Komori K., Matsumoto T., Onohara T., Takeuchi K., Yonemitsu Y., Sugimachi K.

Circulation 105(10):1226-1232,2002

9 Solitary fibrous tumor in the retroperitoneal space.

Kume M., et al.

Surg. Today

-
- 10 Angiogenic gene therapy for experimental critical limb ischemia: acceleration of limb loss by overexpression of vascular endothelial growth factor 165 but not of fibroblast growth factor-2.
-
- Masaki I., Yonemitsu Y., Yamashita A., Sata S., Tanii M., Komori K., Nakagawa K., Hou X., Nagai Y., Hasegawa M., Sugimachi K., Sueishi K.
-
- Circ Res 90(9):966-973,2002
-
- 11 Recombinant sendai virus-mediated gene transfer to vasculature: a new class of efficient gene transfer vector to the vascular system.
-
- Masaki I., et al.
-
- FASEB J. 15(7): 1294-1296, 2002.
-
- 12 Alternative approach to endoluminal treatment of an anastomotic aneurysm.
-
- Matsumoto T., Komori K., Furuyama T., Shoji T., Kume M., Yamaoka T., Mori E., Sugimachi K.
-
- J Cardiovasc Surg (Torino) 43(3):403-406,2002
-
- 13 Comparison of the long-term results between surgical and conservative treatment in patients with intermittent claudication.
-
- Mori E., Komori K., Kume M., Yamaoka T., Shoji T., Furuyama T., Inoguchi H.
-
- Surgery 131(S1):S269-274,2002
-
- 14 Essential role of monocyte chemoattractant protein-1 in development of restenotic changes (neointimal hyperplasia and constrictive remodeling) after balloon angioplasty in hypercholesterolemic rabbits.
-
- Mori E., Komori K., Yamaoka T., Tanii M., Kataoka C., Takeshita A., Usui M., Egashira K., Sugimachi K.
-
- Circulation 105(24):2905-2910,2002
-
- 15 Intraluminal gene transfer of endothelial cell-nitric oxide synthase suppresses intimal hyperplasia of vein grafts in cholesterol-fed rabbit: a limited biological effect as a result of the loss of medial smooth muscle cells.
-
- Ohta S., Komori K., Yonemitsu Y., Onohara T., Matsumoto T., Sugimachi K.
-
- Surgery 131(6):644-653,2002
-
- 16 Intramuscular gene transfer of FGF-2 attenuates endothelial dysfunction and inhibits intimal hyperplasia of vein grafts in rabbit poor runoff limbs.
-
- Shoji T., et al.
-
- Am. J. Physiol.
-
- 17 Cutaneous metastasis from pancreatic adenocarcinoma: A case report and review of literature.
-
- Takeuchi H., et al.
-
- Hepato-Gastroenterol.
-
- 18 Prognostic value of preoperative immunosuppressive acidic protein levels in patients with gastric carcinoma.
-
- Takeuchi H., et al.
-
- Hepato-Gastroenterol.
-

-
- 1 A time trend of profile and surgical results in 1123 patients with non-small cell lung cancer.

Yoshino I., Baba H., Fukuyama F., Kameyama T., Shikada Y., Tomiyasu M., Suemitsu R.

Surgery 131:S226-231,2002

-
- 2 Expression status of E-cadherin and -, -, -catenins in thymoma.

Yoshino I., et al.

Ann. Thorac. Surg. 73: 933-937, 2002.

-
- 3 Loss of heterozygosity Accumulates in Association with Smoking Status in Patients with Non-small Cell Lung Cancer.

Yoshino I., et al.

Chest

-
- 4 The expression status of E-cadherin and catenins in thymoma.

Yoshino I., Kase S., Tokujiro Y., Sugio K., Sugimachi K.

Ann Thorac Surg 73:933-937,2002

-
- 5 Thoracoscopic extirpation of posterior mediastinal mass using da Vinci computer enhanced surgical system.

Yoshino I., Hashizume M., Shimada M., Tomikawa M., Tomiyasu M., Suemitsu R., Sugimachi K.

Ann Thorac Surg 74:1235-1237,2002

-
- 6 Unique mini-thoracotomy assisted by videothoracoscopy facilitates a maximal view even with a minimal wound for resection of primary lung cancer.

Yoshino I., Ushijima C., Tomiyasu M., Suemitsu R., Ichinose Y., Sugimachi K.

Surgical Endoscopy 16:148-150,2002

-
- 7 Video-assisted thoracoscopic extirpation of a posterior mediastinal mass using da Vinci computer enhanced surgical system.

Yoshino I., et al.

Ann. Thorac. Surg. 74: 1235-1237, 2002.

-
- 8 Clinical Significance of Serum Th1/Th2 Cytokines in Patients with Pulmonary Adenocarcinoma.

Yamazaki K., Yano T., Kameyama T., Suemitsu R., Yoshino I., Sugio K.

Surgery 131:S236-241,2002

-
- 9 Thymic carcinoma presenting as an intraluminal growth into the great vessels and the cardiac cavity.

Yamazaki K., et al.

Ann. Thorac. Cardiovasc. Surg. 8: 163-166, 2002.

-
- 10 Lung adenocarcinoma with bronchioloalveolar carcinoma component is frequently associated with foci of high-grade atypical adenomatous hyperplasia.
-
- Koga T., Hashimoto S., Sugio K., Yonemitsu Y., Nakashima Y., Yoshino I., Matsuo Y., Mojtahedzadeh S., Sugimachi K., Sueishi K.
-
- Am J Clin Pathol 117:464-470,2002
-
- 11 Bronchial leiomyoma with atelectasis in the left lower lobe.
-
- Hamatake M., et al.
-
- Jpn. J. Thorac. Cardiovasc. Surg. 50: 77-80, 2002.
-
- 12 A prematurely terminated phase III trial of intraoperative intrapleural hypotonic cisplatin treatment in patients with resected non-small cell lung cancer with positive pleural lavage cytology: The incidence of carcinomatous pleuritis after surgical intervention.
-
- Ichinose Y., et al.
-
- J. Thorac. Cardiovasc. Surg. 123: 695-699, 2002.
-
- 13 A randomized double-blind placebo-controlled trial of bestatin in resected stage I squamous-cell lung carcinoma.
-
- Ichinose Y., et al.
-
- J. Natl Cancer Inst.
-
- 14 Aberrant promoter methylation profile of prostate cancer and its relationship to clinicopathologic features.
-
- Maruyama R., Toyooka S., Toyooka KO., Virmani AK., Zochbauer-Muller S., Farinas AJ., Minna JD., McConnell J., Frenkel EP., Gazdar AF.
-
- Clin Cancer Res 8:514-519,2002
-
- 15 Prognosis of non-surgically treated, clinical stage I lung cancer patients in Japan.
-
- Motohiro A., et al.
-
- Lung Cancer 36: 65-69, 2002.
-
- 16 Airway-directed gene transfer of interleukin-10 using recombinant sendai virus effectively prevents post-transplantation bronchiolitis obliterans in mice.
-
- Shoji F., et al.
-
- Gene Therapy
-
- 17 Genetic alteration in carcinoid tumors and bronchial carcinoma of the lung.
-
- Sugio K., et al.
-
- Ann. Thorac. Cardiovasc. Surg.
-
- 18 Micrometastasis in the bone marrow of patients with lung cancer associated with a reduced expression of E-cadherin and β -catenin: risk assessment by immunohistochemistry
-
- Sugio K., et al.
-
- Surgery 131: S226-231, 2002.
-

-
- 19 Mediastinal invasion by malignant tumor: evaluation with electron-beam CT.

Takeo S., et al.

Lung Cancer

-
- 20 Thoracoscopic extended thymectomy for thymoma using an original sternum-lifting technique.

Takeo S., et al.

Jpn. J. Thorac. Surg.

-
- 21 Thoracoscopic ultrasonic coagulation of the thoracic duct in the management of postoperative chylothorax.

Takeo S., et al.

Ann. Thorac. Surg. 74: 263-265, 2002.

-
- 22 Video-assisted thoracoscopic resection of a giant anterior mediastinal tumor(thymolipoma): using an original sternum-lifting technique.

Takeo S., et al.

Jpn. J. Thorac. Surg.

-
- 23 Growing pulmonary hamartoma penetrating the visceral pleura.

Tomiyasu M., Yoshino I., Suemitsu R., Sugimachi K.

Ann Thorac Cardiovasc Surg 8:42-44,2002

-
- 24 Quantification of macrophage migration inhibitory factor mRNA expression in non-small cell lung cancer tissues and clinical cancer research.

Tomiyasu M., et al.

Clin. Cancer Res.

-
- 25 Quantification of MIF mRNA and its clinical significance in patients with lung cancer.

Tomiyasu M., Yoshino I., Suemitsu R., Okamoto T., Sugimachi K.

Clin Cancer Res 8:3755-3760,2002

-
- 26 Chemotherapy for small cell lung cancer in patients over 80 years old.

Ueda H., et al.

Anticancer Res.

-
- 27 Reduced expression of thrombospondine-1 correlates with a poor prognosis in patients with non-small cell lung cancer.

Yamaguchi M., Sugio K., Ondo K., Yano T., Sugimachi K.

Lung Cancer 36:143-150,2002

-
- 28 Slowly progressive adenocarcinoma of the lung: Report of a case.

Yamaguchi M., Sugio K., Ondo K., Koga T., Kase S., Yamazaki K., Yano T., Sugimachi K.

Ann Thorac Cardiovasc Surg 8:160-162,2002

-
- 29 Thoracoscopic treatment of Bochdalec hernia in the adult: Report of a case.

Yamaguchi M., Sugio K., Ondo K., Yano T., Sugimachi K.

Ann Thorac Cardiovasc Surg 8:106-108,2002

-
- 30 Gastric metastasis from lung carcinoma: case report.

Yamamoto M., et al.

Hepato-Gastroenterol. 49: 363-365, 2002.

-
- 31 Dihydropyrimidine dehydrogenase levels in nonsmall-cell lung cancer tissues.

Yano T., et al.

Int. J. Clin. Oncol. 7: 361-364, 2002.

-
- 32 Immunologic strategies for the treatment of non-small cell lung cancer.

Yano T., et al.

Surgery 131: S232-235, 2002.

-
- 1 Crucial fas-fas ligand interaction in spontaneous acceptance of hepatic allografts in mice.

Uchiyama H., et al.

Immunology 105: 450-457, 2002.

-
- 2 Hepatic resection without mortality at a community hospital.

Yamazaki K., et al.

Int. J. Surg.

-
- 3 Gore-tex jump graft for portal vein thrombosis following living donor liver transplantation.

Hashimoto K., et al.

Hepato-Gastroenterol.

-
- 4 Accurate preoperative estimation of liver graft volumetry using Three-Dimensional computed tomography.

Hiroshige S., et al.

Transplantation

-
- 5 Imatinib(ST1571) for metastatic gastrointestinal stromal tumors.

Ikegami T., et al.

Hepato-Gastroenterol.

-
- 6 Beneficial effect of MCI-186 on hepatic warm ischemia-reperfusion in the rat.

Ninomiya M., Shimada M., Harada N., Shiotani S., Hiroshige S., Soejima Y., Suehiro T., Sugimachi K.

Transplantation 74(10):1470-1476,2002

-
- 7 Hepatocyte growth factor and transforming growth factor β 1 contribute to regeneration of small-for-size liver graft immediately after transplantation.

Ninomiya M., et al.

Transplant Int.

-
- 8 Living-donor liver transplantation for fulminant hepatic failure in adult patients with a left-lobe graft.

Ninomiya M., et al.

Surgery 131: S182-189, 2002.

-
- 9 Characteristics of liver grafts in living-donor adult liver transplantation: comparison between right- and left-lobe grafts.

Shimada M., Shiotani S., Ninomiya M., Terashi T., Hiroshige S., Minagawa R., Soejima Y., Suehiro T., Sugimachi K.

Arch Surg 137(10):1174-1149,2002

-
- 10 Complications after living donor liver transplantation with special reference to graft size matching.

Soejima Y., et al.

Hepato-Gastroenterol.

-
- 11 Feasibility of duct-to-duct biliary reconstruction in left lobe adult living donor liver transplantation.

Soejima Y., et al.

Transplantation

-
- 12 Preoperative management and complications of donors related to living donor liver transplantation.

Soejima Y., Shimada M., Harada N., Suehiro T., Minagawa R., Hiroshige S., Ninomiya M., Shiotani S., Nishizaki T., Sugimachi K.

Surgery 131:S195,2002

-
- 13 Use of steatotic graft in living donor liver transplantation.

Soejima Y., et al.

Transplantation

-
- 14 Accelerated rehabilitation with early postoperative oral feeding following gastrectomy.

Suehiro T., et al.

Hepato-Gastroenterol.

-
- 15 Hepatic artery reconstruction and biliary stricture formation after living donor adult liver transplantation using the left lobe.

Suehiro T., Ninomiya M., Shiotani S., Hiroshige S., Harada N., Minagawa R., Soejima Y., Shimada M., Sugimachi K.

Liver Transplantation (8):495-499,2002

-
- 16 Liver transplantation for hepatocellular carcinoma.

Suehiro T., Terashi T., Shiotani S., Soejima Y., Sugimachi K.

Surgery 131:S190-194,2002

-
- 1 Assessment of the intestinal permeability following postoperative chemotherapy for human malignant disease.

Inutsuka S., et al.

Eur. Surg. Res. 35(1): 22-25, 2003.

-
- 2 Intratumoral injection of dendritic cells after treatment of anticancer drugs induces tumor-specific antitumor effect in vivo.

Tanaka F., et al.

Int. J. Cancer 101: 265-269, 2002.

-
- 3 Therapeutic and specific antitumor immunity induced by co-administration of immature dendritic cells and adenoviral vector expressing biologically active IL-18.

Tanaka F., et al.

Gene Therapy 9: 1480-1486, 2002.
