
1 Clinical efficacy of S-1 combined with cisplatin for advanced gastric cancer.

Baba H., Yamamoto M., Endo K., Ikeda Y., Toh Y., Kohnoe S., Okamura T.

Gastric Cancer 6:45-49,2003

2 Hypertrophic osteoarthropathy associated with esophageal cancer

Morita M., et al.

Ann. Thorac. Surg. 76:1744-1746,2003

3 Risk factors for multicentric occurrence of carcinoma in the upper aerodigestive tract-analysis with a serial histologic evaluation of the whole resected-esophagus including carcinoma.

Morita M., Araki K., Saeki H., Sakaguchi Y., Baba H., Sugimachi K., Yano K., Sugio K., Yasumoto K.

J Surg Oncol 83:216-221,2003

4 Endoscopic mucosal resection for early cardia cancer by minimum laparotomy.

Endo K., Kawamoto K., Baba H., Yamamoto M., Ikeda Y., Toh Y., Kohnoe S., Okamura T.

Am J Surg 185:285-287,2003

5 Analysis of gastric cancer with sDNA microarray.

Haraguchi N., et al.

Cancer Chemoth Pharm

6 New method of catheter-port system implantation in hepatic arterial infusion chemotherapy

Ikebe M., et al.

Am. J. Surg. 186:63-66, 2003

7 Distribution of synchronous and metachronous multiple colorectal cancers

Ikeda Y., et al.

Hepato-Gastroenterol.

8 Features of second primary cancer in patients with gastric cancer

Ikeda Y., et al.

Oncology 65:113-7, 2003

9 Prophylactic lymph node dissection for early gastric cancer invading submucosa

Ikeda Y., et al.

Hepato-Gastroenterol.

10 Genetic susceptibility of Catechol-O-Methyltransferase(COMT) polymorphism in Japanese patients with breast cancer.

Inoue H., et al.

Int. J. Cancer

-
- 11 Assessment of the intestinal permeability following postoperative chemotherapy for human malignant disease
-
- Inutsuka S., et al.
-
- Eur. Surg. Res. 35:22-25, 2003
-
- 12 A variant form of *hMTH1*, a human homologue of *E. coli mutT* gene, correlates with somatic mutation in *p53* tumour suppressor gene in gastric cancer patients
-
- Kimura Y., et al.
-
- J. Med. Genet.
-
- 13 Solitary splenic metastasis derived from esophageal cancer.
-
- Kimura Y., Miyazaki M., Saeki H., Ohga T., Nozoe T., Sugimachi K.
-
- Hepatogastroenterology 50(53):1336-1337,2003
-
- 14 Vascular endothelial growth factor C expression correlates with lymphatic involvement and poor prognosis in patients with esophageal squamous cell carcinoma.
-
- Kimura Y., Watanabe M., Ohga T., Saeki H., Kakeji Y., Baba H., Maehara Y.
-
- Oncol Rep 10(6):1747-1751,2003
-
- 15 Overexpression of cyclooxygenase-2 and Tumor angiogenesis in human gastric cancer
-
- Koga S., et al.
-
- Hepato-Gastroenterol.
-
- 16 MnSOD expression within tumor cells is closely related to mode of invasion in human gastric cancer
-
- Korenaga D., et al.
-
- Oncol. Rep. 10:27-30,2003
-
- 17 Cyclin-Dependent Kinase 1 Gene Expression Is Associated with Poor Prognosis in Gastric Carcinoma.
-
- Masuda T., Inoue H., Nishida K., Sonoda H., Yoshikawa Y., Kakeji Y., Utsunomiya T., Mori M.
-
- Clin Cancer Res 9:5693-5698,2003
-
- 18 Fragile site orthologs FHIT/FRA3B and Fhit/ Fra14A2: Evolutionarily conserved but highly recombinogenic
-
- Matsuyama A., et al.
-
- Proc. Natl. Acad. Sci. U.S.A. 100:14988-14993, 2003
-
- 19 Clinical significance of the overexpression of the candidate oncogene CYP24 in esophageal cancer
-
- Mimori K., et al.
-
- Ann. Oncol.
-
- 20 INI-1, a partner gene of ALL-1, is highly conserved in human acute leukemia
-
- Mimori K., et al.
-
- Oncol. Rep. 10:551-553, 2003
-

-
- 21 Localization of thymidine phosphorylase expression in colorectal carcinoma tissues by in situ RT-PCR assay
-
- Mimori K., et al.
-
- Oncology 62:327-332, 2002
-
- 22 MAL gene expression in esophageal cancer suppresses motility, invasion and tumorigenicity and enhances apoptosis through the fas pathway
-
- Mimori K., et al.
-
- Oncogene 22: 3463-3471, 2003
-
- 23 Microsatellite instability is often observed in esophageal carcinoma patients with allelic loss in the FHIT/FRA3B locus
-
- Mimori K., et al.
-
- Oncology 64:275-279, 2003
-
- 24 Cyclin A expression is an independent prognostic indicator in colorectal carcinoma
-
- Nozoe T., et al.
-
- J. Exp. Clin. Cancer Res.
-
- 25 Fas-ligand expression is correlated with metastasis in colorectal carcinoma
-
- Nozoe T., et al.
-
- Oncology 65:83-88, 2003
-
- 26 Immunohistochemical expression of C-reactive protein in squamous cell carcinoma of the esophagus -Significance as a tumor marker
-
- Nozoe T., et al.
-
- Cancer Letters 192:89-95, 2003
-
- 27 p34cdc2 expression is an independent indicator for lymph node metastasis in colorectal carcinoma
-
- Nozoe T., et al.
-
- J. Cancer Res Clin Oncol 129:498-502, 2003
-
- 28 Significance of immunohistochemical expression of manganese superoxide dismutase as an indicator of malignant potential in colorectal carcinoma
-
- Nozoe T., et al.
-
- Oncol. Rep. 10:39-43, 2003
-
- 29 Significance of immunohistochemical Over-expression of CD44v6 as an Indicator of Malignant Potential in Esophageal Squamous Cell Carcinoma.
-
- Nozoe T., et al.
-
- J. Cancer Res Clin Oncol
-

-
- 30 Significance of immunohistochemical over-expression of cyclooxygenase-2 in squamous cell carcinoma of the esophagus.
-
- Nozoe T., et al.
-
- Am. J. Surg.
-
- 31 Simple staging criteria for esophageal carcinoma: classification with a strict prognostic stratification
-
- Nozoe T., et al.
-
- Am. J. Clin Oncol. 26:307-311,2003
-
- 32 Suppression of the phytohemagglutinin response to lymphocytes is an independent prognosticator in patients with squamous cell carcinoma of the esophagus
-
- Nozoe T., et al.
-
- Ann. Thorac. Surg. 76:260-265, 2003
-
- 33 Surgical strategy to save patients with colon perforation with chronic renal failure on long-term hemodialysis
-
- Nozoe T., et al.
-
- Hepato-Gastroenterol. 50: 385-387, 2003
-
- 34 Brain metastasis of breast cancer.
-
- Ohno S., et al.
-
- Breast Cancer
-
- 35 The effect of whole-body hyperthermia combined with 'metronomic' chemotherapy on rat mammary adenocarcinoma metastases
-
- Sumiyoshi K., et al.
-
- Int. J. Hyperthermia 19(2): 103-118, 2003
-
- 36 Role of surgery in the patients with stage 'and ' primary gastric lymphoma
-
- Takahashi I., et al.
-
- Hepato-Gastroenterol. 50:877-82, 2003
-
- 37 S-1 in the treatment of advanced and recurrent gastric cancer: current state and future prospects
-
- Takahashi I., et al.
-
- Gastric Cancer 6 (S1):28-33, 2003
-
- 38 End-to-end anastomosis using a surgical instrument after a segmental resection of the distal duodenum
-
- Toh Y., et al.
-
- J. Surg. Oncol.
-
- 39 Histone H4 acetylation and histone deacetylase 1 expression in esophageal squamous cell carcinoma
-
- Toh Y., et al.
-
- Oncol. Rep. 10:333-338, 2003
-

-
- 40 Combination chemotherapy of S-1 and low-dose cisplatin for advanced gastric cancer
-
- Tsujitani S., et al.
-
- Gastric Cancer 6(Suppl.1):50-57. 2003
-
- 41 Stimulation of CD40 inhibits Fas- or chemotherapy-mediated apoptosis and increases cell motility in human gastric carcinoma cells
-
- Yamaguchi H., et al.
-
- Int. J. Oncol. 23:1697-1702, 2003
-
- 42 Different distributions on the CEA doubling time in the recurrent colorectal carcinomas
-
- Yamamoto M., et al.
-
- Hepato-Gastroenterol.
-
- 43 Gastrointestinal cancer and herpes zoster in adults
-
- Yamamoto M., et al.
-
- Hepato-Gastroenterol. 50:1043-1046, 2003
-
- 44 Postoperative mortality/morbidity and survival after total gastrectomy, with splenectomy/pancreaticosplenectomy for advanced gastric cancer
-
- Yamamoto M., et al.
-
- Hepato-Gastroenterol.
-
- 45 Prognostic significance of peritoneal lavage tumor markers in gastric cancer
-
- Yamamoto M., et al.
-
- Oncology
-
- 46 The different grades of adenomatous polyps and the distribution in the colorectum
-
- Yamamoto M., et al.
-
- Hepato-Gastroenterol.
-
- 47 The Zollinger-ellison syndrome with acute bleeding pancreatitis
-
- Yamamoto M., et al.
-
- Hepato-Gastroenterol. 50:430-1, 2003
-
- 48 A tumor-suppressive role for trypsin in human cancer progression.
-
- Yamashita K., et al.
-
- Cancer Res. 63(20):6575-6578,2003
-
- 49 Differential expression of MMP and uPA systems and prognostic relevance of their expression in esophageal squamous cell carcinoma.
-
- Yamashita K., et al.
-
- Int. J. Cancer
-

-
- 50 Clinical significance of the expression of activin A in esophageal carcinoma.

Yoshinaga K., et al.

Int. J. Oncol. 22(1):75-80,2003.

-
- 51 Platelet-derived endothelial cell growth factor mediates Rho-associated coiled-coil domain kinase messenger RNA expression and promotes cell motility.

Yoshinaga K., et al.

Ann. Surg. Oncol. 10(5):582-587,2003.

-
- 1 Correlation with bone metastasis and high expression of CK 19 mRNA measured by quantitative RT-PCR in the bone marrow of breast cancer patients.
Tokunaga E., Ishida M., Kimura Y., Maehara Y.
Breast J 9:440-442,2003

 - 2 Granulomatous lobular mastitis misdiagnosed as breast carcinoma
Tokunaga E., Kimura Y., Kitamura K., Maehara Y.
Breast J

 - 3 No hypersensitive estrogen receptor- mutation (K 303R) in Japanese breast carcinomas
Tokunaga E., Kimura Y., Maehara Y.
Breast Cancer Res Treat

 - 4 Transaxillary approach for the endoscopic extirpation of benign breast tumors.
Kitamura K., Hashizume M., Kataoka A., Ohno S., Kuwano H., Maehara Y., Sugimachi K.
Surg Laparosc & Endosc 8:277-279,1998

 - 5 Histological classification of invasive ductal carcinoma and the biological parameters in breast cancer
Tsutsui S., et al.
Breast Cancer 10: 149-52, 2003

 - 6 Prognostic implication of p53 protein expression in relation to nuclear grade and the MIB-1 counts in breast cancer.
Tsutsui S., et al.
Breast Cancer

 - 7 Prognostic significance of the coexpression of p53 protein and c-erbB2 in breast cancer
Tsutsui S., et al.
Am. J. Surg. 185:165-7, 2003

 - 8 Prognostic significance of the combination of biological parameters in breast cancer
Tsutsui S., et al.
Surg. Today 33:151-154,2003

 - 9 Prognostic value of microvessel density in invasive ductal carcinoma of the breast
Tsutsui S., et al.
Breast Cancer 10:321-9, 2003

 - 10 Prognostic value of the combination of epidermal growth factor receptor and c-erbB-2 in breast cancer
Tsutsui S., et al.
Surgery 133:219-21, 2003
-

-
- 1 Angiopoetin swiching regulates angiogenesis and progression of human hepatocellular carcinoma.
-
- Sugimachi K., et al.
-
- Journal of clinical pathology 56(11):854-60,2003
-
- 2 Transcriptional repressor snail and progression of human hepatocellular carcinoma
-
- Sugimachi K., et al.
-
- Clin. Cancer Res. 9(7):2657-2664, 2003
-
- 3 Significance of thymidine phosphorylase in HCC with chronic liver disease for long-term postoperative recurrence
-
- Ezaki T., et al.
-
- J. Surg. Oncol. 83: 173-179, 2003
-
- 4 Efficacy of a larger version of the hybrid artificial liver support system using a polyurethane foam/spheroid packed-bed module in a warm ischemic liver failure pig model for preclinical experiments.
-
- Yamashita Y., et al.
-
- Cell Transplantation 12(2):101-7,2003
-
- 5 Histone deacetylase inhibitor trichostatin A induces cell-cycle arrest/apoptosis and hepatocyte differentiation in human hepatoma cells.
-
- Yamashita Y., Shimada M., Harimoto N., Rikimaru T., Shirabe K., Tanaka S., Sugimachi K.
-
- International Journal of Cancer 103(5):572-6,2003
-
- 6 Abberant Expression of Laminin Gamma 2 and Its Prognostic Signification in Intrahepatic Cholangiocarcinoma
-
- Aishima S., et al.
-
- Mod Pathol
-
- 7 Tenascin exprssion at the invasive front is associated with poor prognosis in intrahepatic cholangiocarcinoma.
-
- Aishima S., Taguchi K., Terashi T., Matsuura S., Shimada M., Tsuneyoshi M.
-
- Modern Pathology 16(10):1019-27,2003
-
- 8 Surgcal results for small hepatocellular carcinoma
-
- Hamatsu T., et al.
-
- Hepato-Gastroenterol.
-
- 9 The role of MTA1 gene expression in human hepatocellular carcinoma.
-
- Hamatsu T., et al.
-
- Oncology Reports 10(3):599-604,2003
-

-
- 10 Antisense oligodeoxynucleotides directed against aspartyl (asparaginyl) beta- hydroxylase suppress migration of cholangiocarcinoma cells.
-
- Maeda T., Sepe P., Lahousse S., Tamaki S., Enjoji M., Wands J.R., Monte S.
-
- Jornal of Hepatology 38(5):615-22,2003
-
- 11 Low-dose cisplatin plus oral Tegafur and Uracil for the treatment of lung metastases of hepatocellular carcinoma.
-
- Maeda T., Itasaka H., Takenaka K., Matsumata T., Shimada M., Ikeda T., Sugimachi K.
-
- Hepatogastroenterology 50(53):1583-6,2003
-
- 12 Characteristic Gene Expression Induced by Polyurethane Foam/Spheroid Culture of Hepatoma Cell Line, Hep G2 as A Promising Cell Source for Bioartificial Liver.
-
- Shimada M., et al.
-
- Hepato-Gastroenterol.
-
- 13 Risk factors of recurrence in 3-year disease-free patients after hepatectomy for hepatocellular carcinoma.
-
- Shimada M., et al.
-
- Hepato-Gastroenterol.
-
- 14 Role of TT virus infection in hepatitis C patients with hepatocellular carcinoma.
-
- Shimada M., et al.
-
- Hepato-Gastroenterol.
-
- 15 The effect of splenectomy on the long-term prognosis and liver function after hepatectomy in patients with hepatocellular carcinoma.
-
- Shimada M., et al.
-
- Hepato-Gastroenterol.
-
- 16 Analysis of the prognostic factor for liver metastasis of gastric cancer after hepatic resection: A multi-institutional study of the indications for resection.
-
- Shirabe K., Shimada M., Matsumata T., Higashi H., Yakeishi Y., Wakiyama S., Ikeda Y., Ezaki T., Fukuzawa S., Takenaka K., Kishikawa K., Ikeda T., Taguchi K., Maehara Y., Sugimachi K.
-
- Hepatogastroenterology 50:1560-63,2003
-
- 17 Prognostic factors in node-negative intrahepatic cholangiocarcinoma with special reference to angiogenesis.
-
- Shirabe K., et al.
-
- Am. J. Surg.
-
- 18 Significance of Lens Culinaris Agglutinin-Reactive of Fetoprotein and High Sensitive Des-Carboxy Prothrombin in recurrent Hepatocellular Carcinoma.
-
- Shirabe K., et al.
-
- Hepato-Gastroenterol.
-

-
- 19 Surgical treatment in patients with huge hepatocellular carcinoma (HCC):with special reference to free cell type HCC.
-
- Shirabe K., et al.
-
- Hepato-Gastroenterol.
-
- 20 The Anticancer Effects on Hpatoma Cells of the Culture Fluid of Isaria Japonica Yasuda in Vitro and in Vivo: Short Communication.
-
- Shirabe K., et al.
-
- Hepato-Gastroenterol.
-
- 21 The factors linked to cellular detachment and its significance in recurrence in hepatocellular carcinoma.
-
- Shirabe K., et al.
-
- Hepato-Gastroenterol.
-
- 22 A loss of function mutation in WISP3 derived from microsatellite unstable gastric carcinoma
-
- Tanaka S., Sugimachi K., Maehara S., Shimada M., Maehara Y.
-
- Gastroenterology 125(5):1563-4,2003
-
- 23 A novel intrahepatic arterial chemotherapy after radical resection for advanced hepatocellular carcinoma.
-
- Tanaka S., et. al.
-
- Hepato-Gastroenterol.
-
- 24 Angiogenic switch as a molecular target of malignant tumors.
-
- Tanaka S., Sugimachi K., Yamashita Y., Shirabe K., Shimada M., Wands JR., Sugimachi K.
-
- Journal of Gastroenterology 38Suppl15:93-7,2003
-
- 25 Human WISP1v, a member of CCN family, is associated with invasive cholangiocarcinoma.
-
- Tanaka S., Sugimachi K., Kameyama T., Maehara S., Shirabe K., Shimada M., Wands JR., Maehara Y.
-
- Hepatology 37(5):1122-9,2003
-
- 26 Antioxidant and anti-inflammatory effects of a diet supplemented with sesamin on hepatic ischemia-reperfusion injury in rats.
-
- Utsunomiya T., Shimada M., Rikimaru T., Hasegawa H., Yamashita Y., Hamatsu T., Yamasaki M., Kaku S., Yamada K., Sugimachi K.
-
- Hepatogastroenterology 50:1609-1613,2003
-

-
- 1 Hepatic vein waveforms : A novel index for predicting prognosis and parenchymal alterations of liver cirrhosis.

Kawanaka H., Hashizume M., Ikeda Y., Saku M., Maehara Y.

GASTROENTEROLOGY 124(4):A696,2003

-
- 2 Laparoscope-assisted distal gastrectomy for early gastric cancer in a 76-year-old man with situs inversus totalis.

Yamaguchi S., Orita H., Yamaoka T., Mii S., Sakata H., Hashizume M.

Surg Endosc 17(2):352-353,2003

-
- 3 Preoperatively undiagnosable Intrahepatic bile duct dilatation contains early-stage intrahepatic cholangiocarcinoma.

Kinjo N., et al.

Hepatology

-
- 4 The effect of rabeprazole on reflux esophagitis after EIS, a randomized control study (24 hour-pH monitoring).

Akahoshi T., et al.

Hepatology Research.

-
- 5 A loop formation of Meckel's diverticulum : a case with obstruction of the ileum.

Tomikawa M., Taomoto J., Saku M., Takeshita M., Yoshida K., Sugimachi K.

Ulus Travma Derg 9(2):134-136,2003

-
- 6 Propranolol alone may not be acceptable to prevent first esophageal variceal bleeding in Japanese cirrhotic patients: a randomized controlled trial.

Tomikawa M., et al.

J. Gastroenterol. Hepatol.

-
- 7 Abnormal PTEN expression in portal hypertensive gastric mucosa : a key to impaired PI 3-kinase / Akt activation and delayed injury healing?

Tsugawa K., Jones MK., Akahoshi T., Moon WS., Maehara Y., Hashizume M., Sarfeh IJ., Tarnawski AS.

FASEB J 17(15):2316-2318,2003

1 Sigmoid colon exteriorization after ruptured abdominal aortic aneurysm

Funahashi S., et al.

J. Cardiovasc. Surg. 44:263-265, 2003

2 Gene therapy in vascular surgery comes of age.

Komori K., Matsumoto T.

Vascular Surgery Highlihts 2002(3):53-62,2003

3 Protective effect of chronic vitamin C treatment on endothelial function of apolipoprotein E-deficient mouse carotid artery.

Matsumoto T., D'uscio LV., Eguchi D., Akiyama M., Smith LA., Katusic ZS.

J Pharmacol Exp Ther 306(1):103-108,2003

4 Intramuscular gene transfer of FGF-2 attenuates endothelial dysfunction and inhibits intimal hyperplasia of vein grafts in poor-runoff limbs of rabbit

Shoji T., et al.

Am. J. Physiol-Heart C 285:H173-H182,2003

5 Clinicopathological study of japanese male breast carcinoma

Takeuchi H., et al.

Breast Cancer 10(3): 249-253, 2003

6 Cutaneous metastasis from pancreatic adenocarcinoma: a case report and a review of the literature

Takeuchi H., et al.

Hepato-Gastroenterol. 50: 275-277, 2003

7 Prediction of survival from first recurrence of breast carcinoma in Japanese women.

Takeuchi H., et al.

Br.J

8 Prognostic value of preoperative immunosuppressive acidic protein levels in patients with gastric carcinoma

Takeuchi H., et al.

Hepato-Gastroenterol. 50: 289-292, 2003

-
- 1 Detection of Loss of Heterozygosity by High-Resolution Fluorescent System in Non-small Cell Lung Cancer
-
- Yoshino I., Fukuyama S., Kameyama T., Shikada Y., Oda S., Maehara Y., Sugimachi K.
-
- CHEST 123:545-550,2003
-
- 2 Operative results of clinical stage I non-small cell lung cancer
-
- Yoshino I., Yamaguchi M., Tagawa T., Fukuyama S., Kameyama T., Osoegawa A., Maehara Y.
-
- LUNG CANCER 42(2):221-225,2003
-
- 3 Operative Results of Non-small Cell Lung Cancer Clinically Presenting Mediastinal Lymph Adenopathy
-
- Yoshino I., Yamaguchi M., Yohena T., Kameyama T., Kometani T., Osoegawa A., Maehara Y.
-
- 福岡医学雑誌 94(8):250-258,2003
-
- 4 Tracheal Sleeve resection using an omentopexy
-
- Yoshino I., et al.
-
- Asian Thoracic Cardiovasc Ann.
-
- 5 Hepatocellular carcinoma in a case of Pubin-Johnson syndrome treated successfully with a central bilateral lobectomy.
-
- Shikada Y., et al.
-
- Hepato-Gastroenterol.
-
- 6 Higher Expression of Rhoc Is Related to Invasiveness in Non-small Cell Lung Carcinoma
-
- Shikada Y., Yoshino I., Okamoto T., Fukuyama S., Kameyama T., Maehara Y.
-
- Clinical Cancer Reseach 9:5282-5286,2003
-
- 7 Induction chemoradiotherapy and surgical resection for selected stage · b non-small cell lung cancer.
-
- Ichinose Y., et al.
-
- Ann. Thorac. Surg. 76:1810-1814,2003
-
- 8 Randomized double-blind placebo-controlled trial of bestatin and patients with resected, stage · squamous-cell lung carcinoma.
-
- Ichinose Y., et al.
-
- J. Natl Cancer Inst. 95:605-610,2003
-
- 9 Airway-directed gene transfer of interleukin-10 using recombinant Sendai virus effectively prevents pos-transplant fibrous airway obliteration in mice
-
- Shoji F., et al.
-
- Gene Therapy 10:213-218, 2003
-

10 Genetic alteration in carcinoid tumors of the lung

Sugio K., et al.

Ann. Thorac. Cardiovasc. Surg. 9:149-154, 2003

11 Video-assisted extended thymectomy in patients with thymoma by lifting the sternum: Is it safe?

Takeo S., et al.

Ann. Thorac. Surg.

12 A small randomized phase • single-center trial on postoperative UFT administration in patients with completely resected non-small cell Lung cancer

Ueda H., et al.

Anticancer Drugs.

13 Chemotherapy for small cell lung cancer in patients over 80 years old

Ueda H., et al.

Anticancer Res. 22:3629-3632,2002

14 Identification of HLA-A24-restricted Cytotoxic T Lymphocyte Epitope from Cancer-Testis Antigen, NY-ESO-1, and Indication of a Specific Antitumor Immence Response

Yamaguchi H., et al.

Clin. Cancer Res.

15 Elective Video-Assisted Thoracoscopic Lung Biopsy for Interstitial Lung Disease.

Yamaguchi M., Yoshino I., Fukuyama S., Osoegawa A., Kameyama T., Tagawa T., Maehara Y.

Asian Thoracic Cardiovasc Ann

16 Inflammatory myofibroblastic tumor of the mediastinum presenting as superior vena cava syndrome.

Yamaguchi M., et al.

J. Thorac. Cardiovasc. Surg. 126:870-872,2003

17 Myofibroblastic Tumor of Mediastinum Presenting as Superior Vena Cava Syndrome.

Yamaguchi M., Yoshino I., Osoegawa A., Kameyama T., Fukuyama S., Oda Y., Tsuneyoshi M., Maehara Y.

J Thorac Cardiovasc Surg 126:870-872,2003

18 Surgical Treatment of Neurogenic Tumors of the Chest

Yamaguchi M., Yoshino I., Suematsu R., Osoegawa A., Kameyama T., Tagawa T., Fukuyama S., Maehara Y.

Ann. Thorac. Cardiovasc. Surg.

1 A Simple New Formula to Assess Liver Weight

Yoshizumi T., Gondolesi G.E., Bodian C.A., Jeon H., Schwartz M.E., Fishbein T.M., Miller C.N., Emre S.

Transplantation Proceedings 35(4):1415-1420,2003

2 Recombinant Sendai virus vectors for activated T-lymphocytes

Okano S., Yonemitsu S., Nagata S., Sata S., Onimaru M., Nakagawa K., Tomita Y., Kishihara K., Hashimoto S., Nakashima Y., Sugimachi K., Hasegawa M., Sueishi K.

Gene Therapy 10(16):1318-1319,2003

3 Unusual Endoscopic Findings of CMV Esophagitis.

Harada N., et al.

Hepato-Gastroenterol.

4 Caspase-dependent apoptosis in fulminant hepatic failure induced by herpes simplex virus in mice

Hashimoto K., Minagawa H., Yanagi Y.

Journal of Hepatology 39:773-778,2003

5 Gore-Tex jump graft for portal vein thrombosis following living donor liver transplantation

Hashimoto K., Shimada M., Suehiro T., Soejima Y., Minagawa R., Hiroshige S., Shiotani S., Ninomiya M., Harada N., Komori K., Sugimachi K.

Hepato-Gastroenterology 50:1146-1148,2003

6 Accurate preoperative estimation of liver-graft volumetry using three-dimensional computed tomography

Hiroshige S., et al.

Transplantation 15: 1561-4, 2003

7 Gas gurgrene of the pancreas

Ikegami T., et al.

Surg. Today

8 Imatinib for metastatic gastrointestinal stromal tumors

Ikegami T., et al.

Hepatogastroenterology 50:,2003

9 Imatinib (STI571) for Metastatic Gastrointestinal Stromal Tumors

Ikegami T., et al.

Hepato-Gastroenterol.

10 Lmatinib for metastatic gastrointestinal stromal tumors

Ikegami T., et al.

Hepato-Gastroenterol.

11 Neurilemmoma of the diaphragm mimicking a liver tumor

Ikegami T., Ezaki T., Ishida T., Kohno H., Fujihara M., Mori M.

Abdominal Imaging : 2003

12 Retractable mesentericis

Ikegami T., et al.

Surg. Today

13 Hepatocyte Growth Factor and Transforming Growth Factor-b1 Contribute to Regeneration of Small-for-size Liver Graft Immediately after Transplantation

Ninomiya M., Harada N., Shiotani S., Hiroshige S., Minagawa R., Soejima Y., Suehiro T., Nishizaki T., Shimada M., Sugimachi K.

Transplant International 16:814-819,2003

14 Sustained Spatial Disturbance of Bile Canalicular networks during Regeneration of the Steatotic Rat Liver

Ninomiya M., et al.

Transplantation

15 The hydroxyl radical scavenger MCI-186 protects the liver from experimental cold ischaemia-reperfusion injury

Ninomiya M., et al.

Br. J. Surg.

16 Feasibility of duct-to-duct biliary reconstruction in left lobe adult living donor liver transplantation

Soejima Y., Shimada M., Suehiro T., Kishikawa K., Minagawa R., Hiroshige S., Ninomiya M., Shiotani S., Harada N., Sugimachi K.

Transplantation 75:557-559,2003

17 Graft-versus-host disease following living donor liver transplantation.

Soejima Y., et al.

Liver Transplantation

18 Outcome analysis in adult-to-adult living donor liver transplantation using the left lobe

Soejima Y., Shimada M., Suehiro T., Hiroshige S., Ninomiya M., Shiotani S., Harada N., Ijichi H., Yonemura Y., Maehara Y.

Liver Transplantation 9(6):581-586,2003

19 Use of steatotic graft in living-donor liver transplantation

Soejima Y., Shimada M., Suehiro T., Kishikawa K., Yoshizumi T., Hashimoto K., Minagawa R., Hiroshige S., Terashi T., Ninomiya M., Shiotani S., Harada N., Sugimachi K.

Transplantation 76(2):344-348,2003
